

SELF-CERTIFICATION FORM

RECOMMENDED MINIMUM PERFORMANCE STANDARDS FOR VINYL SWIMMING POOL LINERS - IN-GROUND - CFFA-P-101G DECEMBER 2022

Please complete this self-certification form declaring an accredited test lab has confirmed the product(s) listed meet(s) the CFFA-P-101 standard.

Company Name:Address:	_		
City, State, Zip:			
Contact Name:			
Contact Email Address:	_		
Phone Number:			
Test Laboratory: Test Laboratory Accredited to (check one)*: ISO 17025 Contact: Contact Email Address:	- IATF 16949		

*An accredited lab is one that has been accredited to ISO 17025 or IATF 16949 and whose accreditation is in effect when the required tests are made and reported. In performing the required tests, an accredited lab must adhere to CFFA's standard conditions of test methods as outlined in the VPL standard.

PLEASE NOTE: The program covers vinyl films which are used as in-ground swimming pool liners when tested in accordance with CFFA-VPL-101P. Certification will be based on construction at the product type/gauge and base film (color) level. A product type/gauge (mil) is defined as minimum of 20 mil. Base film is defined as the color. If a participant changes the performance characteristics, the participant may not use the certification mark for the changed product unless and until the participant notifies CFFA in writing and resubmits appropriate documentation that the changed product meets the standard. (Refer to CFFA-VPL-101P – Taber Test Method. If topcoat & grammage [g/m2] are the same for each color and product type/gauge, the abrasion/taber performance is considered to be equal; requiring for only 1 print pattern to be tested for each color and product type/gauge.) If other print patterns fail the test, the certification can still be challenged.



CERTIFIED PRODUCT SUBMISSION INSTRUCTIONS:

- Please complete this section exactly as you would like it to appear on the certified product website listing.
- Please submit one form per base film (color).
- In addition to inserting each product image below, please submit each product image file using the following file naming system: CompanyName_BaseFilmColor_ProductName. Product image spec size: 800x800 px; Resolution: 72ppi.

MANUFACTURER INFO	DRMATION / WEBSITE	LISTING INFORMATIO	N			
Company	Brand N	lame	Product Type/G	auge (mil)	Base Film (Color)	
			_			
	·					
Product Information						
Please click on each box						
Product Image:	Product Image:	Product Image:	Product Image:	Product Image:	Product Image:	
Product Name:	Product Name:	Product Name:	Product Name:	Product Name:	Product Name:	
Product Image:	Product Image:	Product Image:	Product Image:	Product Image:	Product Image:	
Froduct illiage.	Froduct image.	Froudet illiage.	Froduct image.	Froduct image.	rioduct iiilage.	
Product Name:	Product Name:	Product Name:	Product Name:	Product Name:	Product Name:	



Product Image:	Product Image:	Product Image:	Product Image:	Product Image:	Product Image:
Product Name:	Product Name:	Product Name:	Product Name:	Product Name:	Product Name:
Product Image:	Product Image:	Product Image:	Product Image:	Product Image:	Product Image:
Product Name:	Product Name:	Product Name:	Product Name:	Product Name:	Product Name:
By the authorized repres					
product(s) have been tes Minimum Performance s will comply with its Licer	Standards for Vinyl Swir	nming Pool Liners – In-G	Ground – CFFA-P-101G o	•	
Company Name:			Date:		
Signature:					
Authorized Representati	ve's Name:		_		

CERTIFICATION FEES		
New CFFA Members ⁺ :	\$1,000 per product	
Vinyl Pool Liner Manufacturers:	\$2,500 per product	

Fees due on receipt of form payable to Chemical Fabrics and Film Association, 1300 Sumner Avenue, Cleveland, Ohio 44115, or credit card via PayPal at: www.chemicalfabricsandfilm.com/paypal/invoices.htm

Note: †CFFA members who were previously assessed a fee for the program development are not required to pay the certification fees.